

KEM AQUA KET

6/11/2018

2/4/2024

1.1

SDS

GHS-0068E

1.2

1.3

2.1 GHS

/

2A

3

2.2 GHS



:

H319

H336

P260

P264



P270

P271

P280

:

P304+P340+P312

/

P305+P351+P338

P337+P313

P405

P501

/

/

Æ

/

:

(vPvB)

/

	Cas	%	ENCS / ISHL
	108-32-7	50-60	5-524
		30-40	
2-		5-15	

4. Å 3

/

6.1

:

,

,

(

)

7.1

(

)

8

/

/

/

/

/



-	LD50	>5000mg/kg	3
	LC0	0.041mg/L	8
	LD50	>20000mg/kg	LD50 >3000mg/kg
2-	2-		
-	LD50	5540mg/kg	
	LC50	>1.39mg/L	4 /
	LD50	8500 mg/kg	
2-			
/L	LC50	6500mg/kg	3g
	LC50	0.061mg/L	8
	LD50	>2000mg/kg	

Λ 8

D2 50 „ W= f

		EC50	3340 mg/L	48	
		2-			
			LC50	4600-100000 mg/L	96
		203	GLP		
		EC50	13.21mg/L	48	
		/			
		EC50	Desmodemus subspicatus	4 mg/L	72
				92%	28
12.2		301C	GLP		
		2-	2-		
		2-		98%	9d
12.3	:		/	log Pow=-0.41	
		2-	2-	/	log Pow=-0.54
		2-	/	log Pow=-0.71	
12.4	:				
12.5	PBT	vPvB	:		
12.6					

12.2

	/
UN	/
	/
	/
	/

16.2 :